
REFERENCES

Basore, N.S., L.B. Best and J.B. Wooley, Jr. 1986. Bird nesting in Iowa no-tilled croplands. J. Wildl. Manage. 50:19-28

Bernstein, N.P., K.B. Baker and S.R. Wilmot. 1990. Changes in a prairie bird population from 1940 to 1989. J. Iowa Academy of Science 97:115-120.

Bishop, R.A. 1981. Iowa's wetlands. Proc. Iowa Acad. Sci. 88:11-16.

Bishop, R.A., R.D. Andrews, and R.J. Bridges. 1979. Marsh management and its relation to vegetation, waterfowl, and muskrats. Proc. Iowa Acad. Sci. 86:50-56.

Caithamer, D.F., J.A. Dubovsky, F.A. Johnson, J.R. Kelley, and G.W. Smith. 1994. Waterfowl status and fall flight forecast, 1994. U.S. Fish and Wildlife Service, Annual Rept. 39pp.

Cowardin, L.M., A.B. Sargeant and H.F. Duebbert 1983. Problems and potentials for prairie ducks. Naturalist 34:4-11

Cowardin, L.M., V. Carter, F. Golet, and E.T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. USFWS Biol. Serv. Program. Washington, D.C. 103 pp.

Dahl, T.E. 1990. Wetland Losses in the United States 1780's to 1980's. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. 13pp.

Dahl, T.E. and C.E. Johnson, 1991. Status and Trends of Wetlands in the Conterminous United States, Mid-1970's to Mid-1980's. U.S. Department of the Interior, Fish and Wildlife Service. Washington, D.C. 28 pp.

Duebbert, H.F., and J.T. Lokemoen. 1976. Duck nesting in fields of undisturbed grass-legume cover. J. Wildl. Manage. 40(1):39-49.

Edwards, W.R. 1985. Man, agriculture, and wildlife habitat - a perspective. Manage. Illinois Nat. History Surv. 201pp.

Flake, L.D., G.L. Peterson, and W.L. Tucker. 1977. Habitat relationships of breeding waterfowl on stock ponds in northwestern South Dakota. Proc. South Dakota Acad. Sci. 56:135-151.

Fleskes, J.P. 1986. Evaluation of waterfowl recruitment at Union Slough NWR. M.S. Thesis, Iowa State University., Ames, Iowa. 139pp.

Fredrickson, L.H. and M.E. Heitmeyer. 1991. Life history strategies and habitat needs of the northern pintail. Fish and Wildlife Leaflet 13.1.3, USFWS, Washington, D.C.

Harris, L. 1984. The fragmented forest. University of Chicago Press, Chicago, Illinois.

Heimlich, R. and L. Langner. 1986. Swampbusting: wetland conversion and farm programs. U.S.

Department of Agriculture, Economic Research Service, Report No. 551, 1986.

Herkert, J. R. 1994. Grassland management and restoration for breeding birds: an annotated bibliography. Illinois Endangered Species Protection Board, Springfield, Il. 21 pp

Herkert, J. R. 1994. The effects of habitat fragmentation on midwestern grassland bird communities. Ecological Applications 4: 461-471.

Higgins, K. F. 1977. Duck nesting in intensively farmed areas of North Dakota. J. Wildl. Manage. 41(2):232-242.

Hunter, Malcolm L. 1995. Fundamentals of conservation biology. Rand McNally, Inc. Taunton, MA 482 pp.

Johnson, R.G. and S.A. Temple. 1990. Nest predation and brood parasitism of tallgrass prairie birds. Journal of wildlife Management 54:106-111.

Klett, A.T., T.L. Shaffer and D.L. Johnson 1988. Duck nest success in the prairie pothole region. J. Wildl. Mange. 52: 431-440.

Krapu. G.L., D.R. Parson, and M.W. Weller. 1970. Waterfowl in relation to land use and water levels on the Spring Run area. Iowa J. Sci. 44(4):437-452.

LaGrange, T.G. and J.J. Dinsmore. 1989. Plant and animal community responses to restored Iowa wetlands. Prairie Naturalist 21:39-48.

Murkin, H.R., R.M. Kaminski, and R.D. Titman. 1982. Responses by dabbling ducks and aquatic invertabrates to an experimentally manipulated cattail marsh. Can. J. Zool. 60:2324-2332.

National Fish and Wildlife Foundation, 1990. Partners in Flight: Neotropical Migratory Bird Conservation Program. 9 pp.

Ohde, B.R., R.A. Bishop, and J.J. Dinsmore. 1988. Mallard reproduction in relation to sex ratios. J. Wildl. Manage. 47(1):118-126.

Reese, K.P., and J.T. Ratti. 1988. Edge effect: a concept under scrutiny. Transactions of the North American Wildlife and Natural Resources Conference 53:127-136.

Ribaudo, M.O., et al. 1989. CRP - What Economic Benefits? Journal of Soil and Water Conservation Management, 44(5: 421-424).

Ribaudo, Marc O., 1989. Water Quality Benefits from the Conservation Reserve Program. Agricultural Economic Report No. 606. U.S. Department of Agriculture. Washington D.C.

Robbins, C.S., D. Bystrak, and P.H. Geissler. 1986. The breeding bird survey: its first fifteen years, 1965-1979. U.S. Fish and Wildlife Service, Resour. Pub. 157. 196pp.

Robinson, S.K. 1988. Reappraisal of the costs and benefits of habitat heterogeneity for nongame

wildlife. Transactions of the North American Wildlife and Natural Resources Conference 53:145-155.

Sather, J. and R. Smith, 1984. An overview of major wetland functions and values, U.S. Fish and Wildlife Service Publication.

Sargeant, A.B. 1972. Red fox spacial characteristics in relation to waterfowl predation. J. Wildl. Manag. 36:(2) 225-236.

Sargeant, A.B. 1978. Red fox prey demands and implications to prairie duck production. J. Wildl. Manage. 42(3):520-527.

Sargeant, A.B.; Allen, S.H.; and J.O. Hastings. 1887. Spacial relations between sympatric coyotes and red foxes in North Dakota. J. Wildl. Manage. 51(2)285-293.

Sargeant, A.B.; Allen, S.H.; and Eberhardt, R.T. 1984. Red fox predation on breeding ducks in midcontinent North America. Wildlife Monographs, v89, 41 pp.

Smith, D.D. 1981. Iowa Prairie-an endangered ecosystem. Proc. Iowa Acad. Sci. 88:7-10.

Smith, Robert Leo. 1977. Elements of Ecology and Field Biology., Harper & Row Publishers, New York, NY 459pp.

Smith, A.G., J.H. Stoudt, J.B. Gollop. 1964. Prairie pothole marshes. Pp. 39-50 in Waterfowl tomorrow (J.P. Linduska,ed.). U.S. Government Printing Office, Washington, DC.

Sousa, P.J. 1985. Habitat suitability index models: Blue-winged teal (breeding). U.S. fish Wilfl. Serv. Biol. Rep. 82(10.114) 36pp.

Swanson, G.A., M.I. Meyer, and J.R. Serie. 1974. Feeding ecology of breeding blue-winged teals. J. Wildl. Manage. 38(3):396-407.

Tiner, Ralf W. 1984. Wetlands of the United States: Current Status and Recent Trends, U.S. Fish and Wildlife Service Publication.

U.S. Department of Agriculture - Soil Conservation Service. 1983. Soil Survey of Kossuth County. 185pp.

U.S. Fish and Wildlife Service, 1986. North American Waterfowl Management Plan.

U.S. Fish and Wildlife Service, 1990. Regional Wetlands Concept Plan for the Great Lakes-Big Rivers Region, 32 pp.

U.S. Fish and Wildlife Service, 1995. Ecosystem Plan for the Upper Mississippi River/Tallgrass Prairie ecosystem (unpublished report).

U.S. Environmental Protection Agency. 1973. Methods for identifying and evaluating the nature and extent of non-point sources of pollutants. EPA-4030/9-73-014, Washington, D.C.

Voights, D.K. 1976. Aquatic invertabrate abundance in relation to changing marsh vegetation. American Midland Naturalist 95:313-322.

Weller, M.W. 1979. Density and habitat relationships of blue-winged teal nesting in northwestern Iowa. J. Wildl. Manage. 43:367-374.

Zenner, G.G., T.G. LaGrange, and S.E. White. 1993. Iowa PPJV evaluation, 1989-93:breeding pair estimates for restored, enhanced, and existing wetlands, and nest success estimates. Iowa Dept. Natural Resources Report, Clear Lake, Iowa 23pp.

Zenner, G.G, T.G. LaGrange, and A.W. Hancock. 1992. Nest structures for ducks and geese: a guide to the construction, placement, and maintenance of nest structures for Canada geese, mallards, and wood ducks. Iowa Dept. Natural Resources Report, Clear Lake, Iowa 34pp.